

APPLICATION NOTE

# 5 enhanced features of Fluke Professional Series infrared cameras

Fluke Ti480 and Ti450 PRO series infrared cameras were recently fine-tuned to make it easier for technicians, engineers, and electricians to get to root cause faster by identifying hot spots, cold spots, and apparent surface temperature differentials with a higher degree of confidence. Here are five upgraded features of Fluke Professional Series infrared cameras that can help your team quickly solve issues.

## 1. Increased sensor sensitivity

The additional sensitivity to the camera's internal sensor helps you capture smaller surface temperature differences, making it easier to visualize results. With the enhanced measurement accuracy and the wider dynamic temperature range of the Ti450 PRO—up to 1500 °C with NETD as low as 25 mK, you can collect precise information for making informed decisions that boost your company's return on investment (ROI).

## 2. Sharper images for diagnosing issues

Improvements to Fluke Ti480 and Ti450 PRO firmware lead to sharper onscreen infrared images with clearer color differentiation, giving you a stronger visual indicator of temperature differentials. PRO series infrared cameras show deviations from standard temperatures and relay issues to your team using multiple Delta-T ( $\Delta T$ ) markers. You'll spot and analyze temperature-related issues with more certainty.

## 3. Updated user interface

The improved, user-tested, touch screen interface of the Fluke Ti480 and Ti450 PRO is faster and easier to use than ever. The display integrates a contemporary design, featuring multiple rectangular markers in-camera. It helps your crew quickly identify min/max temperatures for an area of the equipment or equipment array. To further enhance the visual display, the cameras have a new palette and wider color array of yellows and greens to help distinguish heat differences.

## 4. More flexibility to visualize targets with smart lenses

Fluke Ti480 and Ti450 PRO series infrared cameras are now compatible with more Fluke infrared smart lenses. Whether the thermal inspection calls for macro, telephoto, or wide-angle, you can attach the appropriate lens to better capture your target. Fluke smart lenses are interchangeable between compatible cameras, without calibration.



Figure 1. Screen comparison between Ti450 and Ti450 PRO



## 5. Share thermal images with SmartView® and Fluke Connect®

With the improvements to the firmware and thermal sensitivity of Ti450 and Ti480 PRO series infrared cameras, you are better prepared to create comprehensive and professional thermal inspection reports. SmartView® gives thermal investigators a simple solution for viewing infrared images on their mobile devices or desktop computers. Fluke Connect offers an easy way to share thermal images where they can be viewed on a smartphone or tablet allowing team members to collaborate and analyze equipment status in real-time.

When it comes to infrared camera technology, advancements are typically not as dramatic as redesigning the entire tool. Sometimes, iterative changes to the visual display and software of professional grade infrared cameras can have a significant impact on ease of use, accuracy and reporting capabilities. With the Ti450 and Ti480 PRO, you can continue to depend on Fluke infrared cameras for insightful thermal inspections.



A company's greatest investment is not the equipment that's behind the panel door; top priority is to offer the ultimate protection for the electricians, engineers and inspectors who risk their lives every day doing their jobs.

Maximize your thermal imaging camera with Fluke infrared windows. Now you can perform thermal inspections without opening a panel. Inspect equipment faster, more often and with improved safety.



**Preventive maintenance simplified. Rework eliminated.**

Save time and improve the reliability of your maintenance data by wirelessly syncing measurements using the Fluke Connect® system.

- Automatically sync with MATLAB® and LabVIEW® software for data analysis
- Eliminate data-entry errors by saving measurements directly from the tool and associating them with the work order, report or asset record
- Maximize uptime and make confident maintenance decisions with data you can trust and trace.
- Access baseline, historical and current measurements by asset

The Ti450 PRO and Ti480 PRO are part of a growing system of connected test tools and equipment maintenance software.

**Visit [www.flukeconnect.com](http://www.flukeconnect.com) to learn more about the Fluke Connect® system.**



All trademarks are the property of their respective owners. WiFi or cellular service required to share data. Smartphone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Phone support details can be viewed at [fluke.com/phones](http://fluke.com/phones).

**Smart phone wireless service and data plan not included with purchase. Fluke Connect is not available in all countries.**

**Fluke.** *Keeping your world up and running.®*

**Fluke Corporation**  
PO Box 9090, Everett, WA 98206 U.S.A.

**Fluke Europe B.V.**  
PO Box 1186, 5602 BD  
Eindhoven, The Netherlands

**For more information call:**  
In the U.S.A. (800) 443-5853 or  
Fax (425) 446-5116  
In Europe/M-East/Africa +31 (0) 40 2675 200 or  
Fax +31 (0) 40 2675 222  
In Canada (800)-36-FLUKE or  
Fax (905) 890-6866  
From other countries +1 (425) 446-5500 or  
Fax +1 (425) 446-5116  
Web access: <http://www.fluke.com>

©2017 Fluke Corporation.  
Specifications subject to change without notice.  
Printed in U.S.A. 11/2017 6010156a-en

**Modification of this document is not permitted without written permission from Fluke Corporation.**