

**FLUKE®**

# UPGRADE TO THE BEST IN TEST

Get one:



Get up to \$2,300 in  
**FREE Fluke tools**

When you buy one:



**And you send us your old device.**

Buy a qualifying Fluke calibration tool, send in your old calibrator and select your free gift, up to \$2,300 value.

To:  
Fluke

Offer valid through December 31, 2019 on purchases from a participating distributor. Redemption must be submitted within 30 days of purchase. See redemption form for additional information.

## Upgrade offer procedure:

1. Upgrade available for purchases made September 30, 2019 through December 31, 2019.
2. Purchase any of the following Fluke tools from a participating Fluke distributor in the United States or Canada:
  - Fluke 705—mA loop calibrator
  - Fluke 707—mA loop calibrator
  - Fluke 707Ex—Intrinsically safe mA loop calibrator
  - Fluke 709—Precision loop calibrator
  - Fluke 709H—Precision loop calibrator with HART
  - Fluke 710—Precision loop calibrator with valve testing
  - Fluke 712B—RTD calibrator
  - Fluke 714B—Thermocouple calibrator
  - Fluke 715—Volt/mA calibrator
  - Fluke 718—Pressure calibrator
  - Fluke 719—Pressure calibrator
  - Fluke 719Pro—Electric pressure calibrator
  - Fluke 721—Precision pressure calibrator
  - Fluke 721Ex—Intrinsically safe pressure calibrator
  - Fluke 724—Temperature calibrator
  - Fluke 725—Multifunction process calibrator
  - Fluke 725Ex—Intrinsically safe multifunction process calibrator
  - Fluke 726—Precision multifunction calibrator
3. Within 30 days of purchase, mail in this upgrade redemption form with all checkboxes filled in, along with a copy of your receipt/invoice (purchase orders are not acceptable) highlighting:
  - a. Product purchaser
  - b. Qualifying product purchased
  - c. Date of purchase
4. Choose your free gift from the options provided on the redemption form.
5. Package your qualifying calibration tool, along with the redemption form, and receipt/invoice. If your old device has been used in a hazardous environment please contact us at [promotions@fluke.com](mailto:promotions@fluke.com) for alternate shipping procedures.
6. Attach correct postage and ship to address below. Redemption form must be postmarked within 30 days of receipt/invoice date.

### Mail redemption form, old device, and receipt/invoice to:

Upgrade promotion—USA and Canada  
 ATTN: Bob Crepps  
 Fluke Corporation  
 6920 Seaway Blvd. M/S 250E  
 Everett, WA 98203

### Redemption form: (Your gift with purchase will be mailed to the purchaser and address provided here)

Purchaser (as shown on receipt): \_\_\_\_\_

First and last name of person submitting rebate: \_\_\_\_\_

Brand name and model of old device being returned: \_\_\_\_\_

Mailing address (no P.O. boxes): \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Postal code: \_\_\_\_\_

E-mail: \_\_\_\_\_ Phone/Mobile: \_\_\_\_\_

I would like to sign up for a weekly newsletter from Fluke:  Yes  No

**Terms and conditions:** Sponsored by Fluke Electronics Corporation, 6920 Seaway Boulevard, Everett WA 98203 and Fluke Corporation Canada, 400 Britannia Road East, Unit 1, Mississauga, ON L4Z 1X9 Canada. Gift with purchase and trade-in (the "Upgrade Promotion") is available for a "Qualifying Fluke Purchase" made from a participating authorized Fluke distributor in the United States or Canada between September 30, 2019 and December 31, 2019, subsequent trade-in of the purchaser's old calibrator device and submitted per the redemption claim procedures described in these Official Terms and Conditions. This offer may not be combined with any current or future Fluke Corporation offers. Offer is open to legal U.S. and Canadian residents and/or businesses currently residing or physically located in Canada, the United States and the District of Columbia who currently own a qualifying Altek, PIE (Practical Instrument Electronics, Inc.), Martel or Druck tool. Void in Puerto Rico, all other U.S. territories and possessions and overseas military installations and where prohibited or otherwise restricted by law, rule or regulation. All federal, state and local laws and regulations apply. Employees, directors and officers of Fluke Electronics Corporation in the United States and Fluke Canada in Canada (together, the "Sponsor"), its parent companies, affiliated companies, subsidiaries, distributors, representatives, and those persons' immediate families (parents, siblings, children and spouse) and persons living in the same household (whether related or not) are not eligible to participate in the Promotion. Employees, directors and officers of competing tool manufacturers are also ineligible to participate in the Promotion. A receipt may only be submitted once; receipts submitted more than once are considered invalid. Only one gift per trade-in device received. Multiple products purchased on one receipt may qualify for multiple gifts equal to the number of trade-in devices received. Multiple receipts may be submitted as long as a qualifying redemption form is submitted with each receipt. For a list of participating, authorized distributors see the complete terms and conditions. **Redemption requests must be postmarked or submitted within 30 days of purchase as shown by the receipt/invoice evidencing the purchase of the Qualifying Fluke Product.** Redemption forms must be filled out accurately to qualify. Please allow 10 to 12 weeks after Sponsor's receipt of a complete Claim Submission to receive your gift with purchase. This offer is not transferable or assignable. View complete official terms and conditions at [www.fluke.com/UpgradePromo](http://www.fluke.com/UpgradePromo)

Check the box that corresponds to the brand of the calibrator you will be sending. Upgrade promotion is limited to only these models.

Qualified trade-in brands	Model (Enter your qualifying* calibrator trade-in model below)
<b>Altek</b>	
<b>Crystal</b>	
<b>Transmation</b>	
<b>PIE</b>	
<b>Martel</b>	
<b>Druck</b>	

\*qualification is subject to review and approval

Check the box that corresponds to the Fluke model you purchased, and select one gift from the paired options.

Fluke model purchased		Paired gift options	
<b>Fluke 705</b>	mA loop calibrator	<b>Fluke 771</b>	mA clamp
<b>Fluke 707</b>	mA loop calibrator		
<b>Fluke 707 Ex</b>	Intrinsically Safe mA loop calibrator		
<b>Fluke 709</b>	Precision loop calibrator		
<b>Fluke 709H</b>	Precision loop calibrator with HART		

<b>Fluke 710</b>	Precision loop calibrator with valve testing	<b>Option 1: Fluke 773</b>	mA clamp	<b>OR</b>
<b>Fluke 715</b>	Volt/mA calibrator			
<b>Fluke 714B</b>	Thermocouple calibrator	<b>Option 2: Fluke 700G</b>	Pressure gauge (choose specific model below)	
<b>Fluke 712B</b>	RTD calibrator			
<b>Fluke 724</b>	Temperature calibrator			

<b>Fluke 718</b>	Pressure calibrator	<b>Option 1: Fluke 773</b>	mA clamp	<b>OR</b>
<b>Fluke 719</b>	Pressure calibrator			
<b>Fluke 719 Pro</b>	Electric pressure calibrator	<b>Option 2: Fluke 700G</b>	Pressure gauge (choose specific model below)	
<b>Fluke 721</b>	Precision pressure calibrator			
<b>Fluke 721 Ex</b>	Intrinsically safe pressure calibrator			
<b>Fluke 725</b>	Multifunction process calibrator	<b>Option 3: Fluke 750P</b>	Pressure module (choose specific model below)	
<b>Fluke 725 Ex</b>	Intrinsically safe multifunction calibrator			
<b>Fluke 726</b>	Precision multifunction calibrator			

Pressure modules gift options	
<b>750P00</b>	Differential Pressure Module, 0 to 1 inH <sub>2</sub> O (0 to 2.5 mBar), (0 to 0.25 kPa)
<b>750P01</b>	Differential Pressure Module, 0 to 10 inH <sub>2</sub> O (0 to 25 mBar), (0 to 2.5 kPa)
<b>750P02</b>	Differential Pressure Module, 0 psi to 1 psi (0 to 70 mBar), (0 to 7 kPa)
<b>750P03</b>	Differential Pressure Module, 0 psi to 5 psi (0 to 350 mBar), (0 to 35 kPa)
<b>750P04</b>	Differential Pressure Module, 0 psi to 15 psi (0 to 1 bar), (0 to 100 kPa)
<b>750P22</b>	Differential Pressure Module, 0 psi to 1 psi (0 to 70 mBar), (0 to 7 kPa)
<b>750P23</b>	Differential Pressure Module, 0 psi to 5 psi (0 to 350 mBar), (0 to 35 kPa)
<b>750P24</b>	Differential Pressure Module, 0 psi to 15 psi (0 to 1 bar), (0 to 100 kPa)
<b>750P05</b>	Gage Pressure Module, 0 psi to 30 psi (0 to 2 bar), (0 to 200 kPa)

Pressure gauge gift options	
<b>Fluke-700G01</b>	Pressure Gauge, ±10 inH <sub>2</sub> O WC (0.4 PSIG)
<b>Fluke-700G02</b>	Pressure Gauge, ±30 inH <sub>2</sub> O WC (1 PSIG)
<b>Fluke-700G04</b>	Pressure Gauge, ± 15 PSIG
<b>Fluke-700G05</b>	Pressure Gauge, 30 PSIG
<b>Fluke-700G06</b>	Pressure Gauge, 100 PSIG
<b>Fluke-700G27</b>	Pressure Gauge, 300 PSIG
<b>Fluke-700G07</b>	Pressure Gauge, 500 PSIG
<b>Fluke-700G08</b>	Pressure Gauge, 1000 PSIG
<b>Fluke-700G10</b>	Pressure Gauge, 2000 PSIG

**Pressure modules gift options**

<b>750P06</b>	Gage Pressure Module, 0 psi to 100 psi (0 to 7 bar), (0 to 700 kPa)
<b>750P07</b>	Gage Pressure Module, 0 psi to 500 psi (0 to 35 bar), (0 to 3500 kPa)
<b>750P08</b>	Gage Pressure Module, 0 psi to 1000 psi (0 to 70 bar), (0 to 7000 kPa)
<b>750P09</b>	Gage Pressure Module, 0 psi to 1500 psi (0 to 100 bar), (0 to 10 MPa)
<b>750P27</b>	Gage Pressure Module, 0 psi to 300 psi (0 to 20 bar), (0 to 2000 kPa)
<b>750P2000</b>	Gage Pressure Module, 0 psi to 2000 psi (0 to 140 bar), (0 to 14 MPa)
<b>750P29</b>	High Pressure Module, 0 psi to 3000 psi (0 to 200 bar), (0 to 20 MPa)
<b>750P30</b>	High Pressure Module, 0 psi to 5000 psi (0 to 340 bar), (0 to 34 MPa)
<b>750P31</b>	High Pressure Module, 0 psi to 10000 psi (0 to 700 bar), (0 to 70 MPa)
<b>750PA3</b>	Absolute Pressure Module, 0 psi to 5 psi (0 to 350 mBar), (0 to 35 kPa)
<b>750PA4</b>	Absolute Pressure Module, 0 psi to 15 psi (0 to 1 bar), (0 to 100 kPa)
<b>750PA5</b>	Absolute Pressure Module, 0 psi to 30 psi (0 to 2 bar), (0 to 200 kPa)
<b>750PA6</b>	Absolute Pressure Module, 0 psi to 100 psi (0 to 7 bar), (0 to 700 kPa)
<b>750PA7</b>	Absolute Pressure Module, 0 psi to 500 psi (0 to 35 bar), (0 to 3500 kPa)
<b>750PA8</b>	Absolute Pressure Module, 0 psi to 1000 psi (0 to 70 bar), (0 to 7000 kPa)
<b>750PA9</b>	Absolute Pressure Module, 0 psi to 1500 psi (0 to 100 bar), (0 to 10 MPa)
<b>750PA27</b>	Absolute Pressure Module, 0 psi to 300 psi (0 to 20 bar), (0 to 2000 kPa)
<b>750PV3</b>	Vacuum Pressure Module, -5 psi (-350 mBar), (-35 kPa)
<b>750PV4</b>	Vacuum Pressure Module, -15 psi (-1 bar), (-100 kPa)
<b>750PD2</b>	Dual Pressure Module, 1 psi to 1 psi (-70 to 70 mBar), (-7 to 7 kPa)
<b>750PD3</b>	Dual Pressure Module, -5 psi to 5 psi (-350 to 350 mBar), (-35 to 35 kPa)
<b>750PD4</b>	Dual Pressure Module, -15 psi to 15 psi (-1 to 1 bar), (-100 to 100 kPa)
<b>750PD5</b>	Dual Pressure Module, -15 psi to 30 psi (-1 to 2 bar), (-100 to 200 kPa)
<b>750PD6</b>	Dual Pressure Module, -15 psi to 100 psi (-1 to 7 bar), (-100 to 700 kPa)
<b>750PD7</b>	Dual Pressure Module, -15 psi to 200 psi (-1 to 14 bar), (-100 to 1400 kPa)
<b>750PD10</b>	Dual Pressure Module, -10 psi to 10 psi (-0.7 to 0.7 bar), (-70 to 70 kPa)
<b>750PD27</b>	Dual Pressure Module, -15 psi to 300 psi (-1 to 20 bar), (-100 to 2000 kPa)
<b>750PD50</b>	Dual Pressure Module, -15 psi to 50 psi (-1 to 3.5 bar), (-100 to 350 kPa)

**Pressure gauge gift options**

<b>Fluke-700G29</b>	Pressure Gauge, 3000 PSIG
<b>Fluke-700G30</b>	Pressure Gauge, 5000 PSIG
<b>Fluke-700G31</b>	Pressure Gauge, 10000 PSIG
<b>Fluke-700GA4</b>	Pressure Gauge, 15 PSIA
<b>Fluke-700GA5</b>	Pressure Gauge, 30 PSIA
<b>Fluke-700GA6</b>	Pressure Gauge, 100 PSIA
<b>Fluke-700GA27</b>	Pressure Gauge, 300 PSIA

To learn more about each of the products,  
go to [Fluke.com/ProcessTools](https://www.fluke.com/ProcessTools).